



Sturdy and durable, BKT label printing scales are ideal for manufacturing, shipping and receiving, packing and distribution warehouses. The BKT has a built-in printer that can print weight, QR codes, bar codes and labels in numerous languages. Software is included for personalized label design and formatting on computers. BKT scales consist of a sturdy ABS plastic indicator, cast aluminium base, and easy-to-clean stainless steel platform. Operation is simple using six buttons on the indicator, and results are readily visible on the backlit LCD. The indicator can be placed on a bench or attached to the included pillar. The BKT offer three platform sizes to accommodate large or small objects. RS-232 interface provide speedy connection to computers and printers.

Quickly produce custom labels and bar codes with the built-in printer



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Large, grade 304 stainless steel pan allows easy cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Rugged construction stands up to industrial use
- Sealed keypad protects against dirt and spills
- Overload protection helps prevent damage to internal components
- Built in printer can print weight, QR codes, bar codes and labels in numerous languages
- Checkweighing with audible alarm
- Memory accumulation totals results
- Parts counting optimisation automatically refines piece weight as parts are added
- Selectable digital filtering helps minimise effects of vibration and disturbances
- Zero-tracking feature ensures display returns to zero reading
- Easy label creation/editing is possible on a computer using the included software
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing
- Accumulation of weight
- Display hold
- Peak hold
- Barcode / label printing

About ADAM:

For more than 45 years, professionals worldwide have relied on Adam Equipment for an extensive selection of dependable and affordable weighing equipment. Adam provides the right balance of speed, performance and value.

Model	BKT 8	BKT 16	BKT 32	BKT 60	BKT 120	BKT 75	BKT 150	BKT 300	BKT 600
Capacity	8kg	16kg	32kg	60kg	120kg	75kg	150kg	300kg	600kg
Readability	0.1g	0.5g	1g	2g	5g	5g	0.01kg	0.02kg	0.05kg
Repeatability (S.D.)	0.2g	1g	2g	4g	10g	5g	0.01kg	0.02kg	0.05kg
Linearity (+/-)	0.3g	1g	2g	4g	10g	10g	0.02kg	0.04kg	0.1kg
Pan Size	300x400mm					400x500mm			600x800mm
Weighing Units	g, kg, ct, lb, oz, dr, mm, T, tonne								
Stabilisation Time (sec)	2								
Interface	RS-232								
Calibration	External calibration								
Display	Backlit LCD with 34mm -high digits								
Power Supply	12VDC 50/60Hz 3A adapter								
Operating Temperature	-10° to 40°C								
Housing	ABS plastic indicator with die-cast aluminum base								
Overall Dim.	300x520x680mm (wxdxh)					400x620x860mm (wxdxh)			600x940x-900mm (wxdxh)
Net Weight	8.5kg					13.5kg			26.5kg

Accessories

Item number	Description
3074010266RS-232 cable (null-modem)
600002028AdamDU Data Collection Program
700660290Calibration certificate
700660288Calibration certificate (IHS, LHS, AFK 600, GFK 600, PTM)
700200107Casters / wheels (set of 4)
400005615Labels - [800 per roll]

Key Accessories



AdamDU Data Collection Program

Adam DU software connects a balance to the laboratory network, helping to achieve seamless data collection, transfer and analysis. DU features an easy-to-use interface with a main command window, allowing users to quickly collect information from up to eight Adam balances simultaneously using RS-232 or USB connections.



Casters / wheels (set of 4)

Optional castor wheels provide easy mobility for bench and floor scales. A brake lock prevents movement during use.

Supplied by